

[Clinical and molecular characterization of patients with heterozygous mutations in wilms tumor suppressor gene 1.](#)

Lehnhardt A, Karnatz C, Ahlenstiel-Grunow T, Benz K, Benz MR, Budde K, Büscher AK, Fehr T, Feldkötter M, Graf N, Höcker B, Jungraithmayr T, Klaus G, **Koehler B**, Konrad M, Kranz B, Montoya CR, Müller D, Neuhaus TJ, Oh J, Pape L, Pohl M, Royer-Pokora B, Querfeld U, Schneppenheim R, Staude H, Spartà G, Timmermann K, Wilkening F, Wygoda S, Bergmann C, Kemper MJ.

Clin J Am Soc Nephrol. 2015 May 7;10(5):825-31

[3-iodothyronamine differentially modulates  \$\alpha\$ -2A-adrenergic receptor-mediated signaling.](#)

Dinter J, Mühlhaus J, Jacobi SF, Wienchol CL, Cöster M, Meister J, Hoefig CS, Müller A, Köhrle J, **Grüters A**, Krude H, Mittag J, Schöneberg T, Kleinau G, Biebermann H.

J Mol Endocrinol. 2015 Jun;54(3):205-16.

[Subjective need for psychological support \(PsySupp\) in parents of children and adolescents with disorders of sex development \(dsd\).](#)

Bennecke E, Werner-Rosen K, Thyen U, Kleinemeier E, Lux A, Jürgensen M, **Grüters A**, **Köhler B**.

Eur J Pediatr. 2015 Oct;174(10):1287-97. doi: 10.1007/s00431-015-2530-8.

[Fine mapping of type 1 diabetes susceptibility loci and evidence for colocalization of causal variants with lymphoid gene enhancers.](#)

Onengut-Gumuscu S, Chen WM, Burren O, Cooper NJ, Quinlan AR, Mychaleckyj JC, Farber E, Bonnie JK, Szpak M, Schofield E, Achuthan P, Guo H, Fortune MD, Stevens H, Walker NM, Ward LD, Kundaje A, Kellis M, Daly MJ, Barrett JC, Cooper JD, Deloukas P; Type 1 Diabetes Genetics Consortium *incl. Raile K*, Todd JA, Wallace C, Concannon P, Rich SS.

Nat Genet. 2015 Apr;47(4):381-6.

[Inverse agonistic action of 3-iodothyronamine at the human trace amine-associated receptor 5.](#)

Dinter J, Mühlhaus J, Wienchol CL, Yi CX, Nürnberg D, Morin S, **Grüters A**, Köhrle J, Schöneberg T, Tschöp M, Krude H, Kleinau G, Biebermann H.

PLoS One. 2015 Feb 23;10(2):e0117774. doi: 10.1371/journal.pone.0117774. eCollection 2015.

Ruiz-Arana IL, Hübner A, Cetingdag C, Krude H, **Grüters A**, Fukami M, Biebermann H, **Köhler B**.

Sex Dev. 2015;9(2):80-5.

[Utilization of health care services and satisfaction with care in adults affected by disorders of sex development \(DSD\).](#)

Thyen U, Lux A, Jürgensen M, Hiort O, Köhler B.

J Gen Intern Med. 2014 Aug;29 Suppl 3:S752-9.

[Modulation of monocarboxylate transporter 8 oligomerization by specific pathogenic mutations.](#)

Fischer J, Kleinau G, Müller A, Kühnen P, Zwanziger D, Kinne A, Rehders M, Moeller LC, Führer D, **Grüters A**, Krude H, Brix K, Biebermann H.

J Mol Endocrinol. 2015 Feb;54(1):39-50.

[The extracellular N-terminal domain of G-protein coupled receptor 83 regulates signaling properties and is an intramolecular inverse agonist.](#)

Müller A, Leinweber B, Fischer J, Müller TD, **Grüters A**, Tschöp MH, Knäuper V, Biebermann H, Kleinau G.

BMC Res Notes. 2014 Dec 16;7:913.

[Meglitinide analogues in adolescent patients with HNF1A-MODY \(MODY 3\).](#)

Becker M, Galler A, **Raile K**.

Pediatrics. 2014 Mar;133(3):e775-9.

[GAD-treatment of children and adolescents with recent-onset type 1 diabetes preserves residual insulin secretion after 30 months.](#)

Ludvigsson J, Chéramy M, Axelsson S, Pihl M, Akerman L, Casas R; Clinical GAD-Study Group in Sweden.

Diabetes Metab Res Rev. 2014 Jul;30(5):405-14.

[Higher relative risk for multiple sclerosis in a pediatric and adolescent diabetic population: analysis from DPV database.](#)

Bechtold S, Blaschek A, **Raile K**, Dost A, Freiberg C, Askenas M, Fröhlich-Reiterer E, Molz E, Holl RW.

Diabetes Care. 2014;37(1):96-101

[Comprehensive genotyping and clinical characterisation reveal 27 novel NKX2-1 mutations and expand the phenotypic spectrum.](#)

Thorwarth A, Schnittert-Hübener S, Schrumpf P, Müller I, Jyrch S, Dame C, Biebermann H, Kleinau G, Katchanov J, Schuelke M, Ebert G, Steininger A, Bönnemann C, Brockmann K, Christen HJ, Crock P, deZegher F, Griese M, Hewitt J, Ivarsson S, Hübner C, Kapelari K, Plecko B, Rating D, Stoeva I, Ropers HH, **Grüters A**, Ullmann R, Krude H.

J Med Genet. 2014 Jun;51(6):375-87.

[Stop the pain: study protocol for a randomized-controlled trial.](#)

Warschburger P, Calvano C, Becker S, Friedt M, **Hudert C**, Posovszky C, Schier M, Wegscheider K.

Trials. 2014 Sep 11;15:357.

[Pulse pressure in children and adolescents with type 1 diabetes mellitus in Germany and Austria.](#)

Dost A, Molz E, Krebs A, Bechtold S, Kapellen T, Rohrer T, **Raile K**, Fritsch M, Schwab KO, Holl R.

Pediatr Diabetes. 2014 May;15(3):236-43.

[Treatment of young patients with HNF1A mutations \(HNF1A-MODY\).](#)

**Raile K**, Schober E, Konrad K, Thon A, Grulich-Henn J, Meissner T, Wölfle J, Scheuing N, Holl RW; DPV Initiative the German BMBF Competence Network Diabetes Mellitus.

Diabet Med. 2015 Apr;32(4):526-30.

[Tracking of metabolic control from childhood to young adulthood in type 1 diabetes.](#)

Hofer SE, **Raile K**, Fröhlich-Reiterer E, Kapellen T, Dost A, Rosenbauer J, Grulich-Henn J, Holl RW; Austrian/German Diabetes Patienten Verlaufsdokumentation DPV Initiative; German Competence Network for Diabetes Mellitus.

J Pediatr. 2014 Nov;165(5):956-61.e1-2.

[Recessive mutations in PCBD1 cause a new type of early-onset diabetes.](#)

Simaite D, Kofent J, Gong M, Rüschemdorf F, Jia S, Arn P, Bentler K, Ellaway C, Kühnen P, Hoffmann GF, Blau N, Spagnoli FM, Hübner N, **Raile K**.

Diabetes. 2014 Oct;63(10):3557-64.

[Occurrence of giant focal forms of congenital hyperinsulinism with incorrect visualization by \(18\) F DOPA-PET/CT scanning.](#)

Kühnen P, Matthae R, Arya V, Hauptmann K, Rothe K, Wächter S, Singer M, Mohnike W, Eberhard T, **Raile K**, Lauffer LM, Iakoubov R, Hussain K, Blankenstein O.

Clin Endocrinol (Oxf). 2014 Dec;81(6):847-54.

[Analysis of the gene coding for steroidogenic factor 1 \(SF1, NR5A1\) in a cohort of 50 Egyptian patients with 46,XY disorders of sex development.](#)

Tantawy S, Mazen I, Soliman H, Anwar G, Atef A, El-Gammal M, El-Kotoury A, Mekkawy M, Torky A, Rudolf A, Schrupf P, **Grüters A**, Krude H, Dumargne MC, Astudillo R, Bashamboo A, Biebermann H, **Köhler B**.

Eur J Endocrinol. 2014 Apr 10;170(5):759-67.

[Identification of PENDRIN \(SLC26A4\) mutations in patients with congenital hypothyroidism and "apparent" thyroid dysgenesis.](#)

Kühnen P, Turan S, Fröhler S, Güran T, Abali S, Biebermann H, Bereket A, **Grüters A**, Chen W, Krude H.

J Clin Endocrinol Metab. 2014 Jan;99(1):E169-76.

[Inhibition of melanocortin-4 receptor dimerization by substitutions in intracellular loop 2.](#)

Piechowski CL, Rediger A, Lagemann C, Mühlhaus J, Müller A, Pratzka J, Tarnow P, **Grüters A**, Krude H, Kleinau G, Biebermann H.

J Mol Endocrinol. 2013 Jun 29;51(1):109-18.

[Novel insights on thyroid-stimulating hormone receptor signal transduction.](#)

Kleinau G, Neumann S, **Grüters A**, Krude H, Biebermann H.

**Endocr Rev. 2013 Oct;34(5):691-724. doi: 10.1210/er.2012-1072.**

[G-protein coupled receptor 83 \(GPR83\) signaling determined by constitutive and zinc\(II\)-induced activity.](#)

Müller A, Kleinau G, Piechowski CL, Müller TD, Finan B, Pratzka J, **Grüters A**, Krude H, Tschöp M, Biebermann H.

PLoS One. 2013;8(1):e53347. doi: 10.1371/journal.pone.0053347. Epub 2013 Jan 15.

24. [Two novel GATA6 mutations cause childhood-onset diabetes mellitus, pancreas malformation and congenital heart disease.](#)

Gong M, Simaite D, Kühnen P, Heldmann M, Spagnoli F, Blankenstein O, Hübner N, Hussain K, **Raile K**.

Horm Res Paediatr. 2013;79(4):250-6.

[Predicting the optimal basal insulin infusion pattern in children and adolescents on insulin pumps.](#)

Holterhus PM, Bokelmann J, Riepe F, Heidtmann B, Wagner V, Rami-Merhar B, Kapellen T, **Raile K**, Quester W, Holl RW; German/Austrian DPV-Initiative and the German Pediatric CSII Working Group.

Diabetes Care. 2013 Jun;36(6):1507-11.

[Long-term lanreotide treatment in six patients with congenital hyperinsulinism.](#)

Kühnen P, Marquard J, Ernert A, Meissner T, **Raile K**, Wannemacher G, Blankenstein O.

Horm Res Paediatr. 2012;78(2):106-12.

[GAD65 antigen therapy in recently diagnosed type 1 diabetes mellitus.](#)

Ludvigsson J, Krisky D, Casas R, Battelino T, Castaño L, Greening J, Kordonouri O, Otonkoski T, Pozzilli P, Robert JJ, Veeze HJ, Palmer J, Samuelsson U, Elding Larsson H, Åman J, Kärde G, Neiderud Helsingborg J, Lundström G, Albinsson E, Carlsson A, Nordvall M, Fors H, Arvidsson CG, Edvardson S, Hanås R, Larsson K, Rathsmann B, Forsgren H, Desaix H, Forsander G, Nilsson NÖ, Åkesson CG, Keskinen P, Veijola R, Talvitie T, **Raile K**, Kapellen T, Burger W, Neu A, Engelsberger I, Heidtmann B, Bechtold S, Leslie D, Chiarelli F, Cicognani A, Chiumello G, Cerutti F, Zuccotti GV, Gomez Gila A, Rica I, Barrio R, Clemente M, López Garcia MJ, Rodriguez M, Gonzalez I, Lopez JP, Oyarzabal M, Reeser HM, Nuboer R, Stouthart P, Bratina N, Bratanic N, de Kerdanet M, Weill J, Ser N, Barat P, Bertrand AM, Carel JC, Reynaud R, Coutant R, Baron S.

**N Engl J Med. 2012 Feb 2;366(5):433-42. doi: 10.1056/NEJMoa1107096.**

[An Alu element-associated hypermethylation variant of the POMC gene is associated with childhood obesity.](#)

Kuehnen P, Mischke M, Wiegand S, Sers C, Horsthemke B, Lau S, Keil T, Lee YA, **Grüters A**, Krude H.

PLoS Genet. 2012;8(3):e1002543. doi: 10.1371/journal.pgen.1002543. Epub 2012 Mar 15.

[Do common variants separate between obese melanocortin-4 receptor gene mutation carriers and non-carriers? The impact of cryptic relatedness.](#)

Mühlhaus J, Pütter C, Brumm H, Grallert H, Illig T, Scherag S, Reinehr T, Pott W, Albayrak Ö, Wang HJ, Bau AM, Wiegand S, **Grüters A**, Krude H, Hebebrand J, Hinney A, Biebermann H, Scherag A.

Horm Res Paediatr. 2012;77(6):358-68.

[Differences in taste sensitivity between obese and non-obese children and adolescents.](#)

**Overberg J**, Hummel T, Krude H, Wiegand S.

[Arch Dis Child.](#) 2012 Dec;97(12):1048-52.

[Identification of the translation start site of the human melanocortin 3 receptor.](#)

Tarnow P, Rediger A, Schulz A, **Grüters A**, Biebermann H.

Obes Facts. 2012;5(1):45-51.

[Psychosexual development in adolescents and adults with disorders of sex development--results from the German Clinical Evaluation Study.](#)

Jürgensen M, Kleinemeier E, Lux A, Steensma TD, Cohen-Kettenis PT, Hiort O, Thyen U, **Köhler B**; DSD Network Working Group.

J Sex Med. 2013 Nov;10(11):2703-14.

[Testosterone production during puberty in two 46,XY patients with disorders of sex development and novel NR5A1 \(SF-1\) mutations.](#)

Tantawy S, Lin L, Akkurt I, Borck G, Klingmüller D, Hauffa BP, Krude H, Biebermann H, Achermann JC, **Köhler B**.

Eur J Endocrinol. 2012 Jul;167(1):125-30.

[Genotype-phenotype analysis in congenital adrenal hyperplasia due to P450 oxidoreductase deficiency.](#)

Krone N, Reisch N, Idkowiak J, Dhir V, Ivison HE, Hughes BA, Rose IT, O'Neil DM, Vijzelaar R, Smith MJ, MacDonald F, Cole TR, Adolphs N, Barton JS, Blair EM, Braddock SR, Collins F, Cragun DL, Dattani MT, Day R, Dougan S, Feist M, Gottschalk ME, Gregory JW, Haim M, Harrison R, Olney AH, Hauffa BP, Hindmarsh PC, Hopkin RJ, Jira PE, Kempers M, Kerstens MN, Khalifa MM, **Köhler B**, Maiter D, Nielsen S, O'Riordan SM, Roth CL, Shane KP, Silink M, Stikkelbroeck NM, Sweeney E, Szarras-Czapnik M, Waterson JR, Williamson L, Hartmann MF, Taylor NF, Wudy SA, Malunowicz EM, Shackleton CH, Arlt W.

J Clin Endocrinol Metab. 2012 Feb;97(2):E257-67.

[MC4R dimerization in the paraventricular nucleus and GHSR/MC3R heterodimerization in the arcuate nucleus: is there relevance for body weight regulation?](#)

Rediger A, Piechowski CL, Habegger K, **Grüters A**, Krude H, Tschöp MH, Kleinau G, Biebermann H.

Neuroendocrinology. 2012;95(4):277-88.

[. New pathogenic thyrotropin receptor mutations decipher differentiated activity switching at a conserved helix 6 motif of family A GPCR.](#)

Biebermann H, Winkler F, Handke D, Teichmann A, Gerling B, Cameron F, Eichhorst J, **Grüters A**, Wiesner B, Kühnen P, Krude H, Kleinau G.

J Clin Endocrinol Metab. 2012 Feb;97(2):E228-32.

[Satisfaction with genital surgery and sexual life of adults with XY disorders of sex development: results from the German clinical evaluation study.](#)

**Köhler B**, Kleinemeier E, Lux A, Hiort O, **Grüters A**, Thyen U; DSD Network Working Group.

J Clin Endocrinol Metab. 2012 Feb;97(2):577-88.

[Differential modulation of Beta-adrenergic receptor signaling by trace amine-associated receptor 1 agonists.](#)

Kleinau G, Pratzka J, Nürnberg D, **Grüters A**, Führer-Sakel D, Krude H, Köhrle J, Schöneberg T, Biebermann H.

PLoS One. 2011;6(10):e27073. doi: 10.1371/journal.pone.0027073. Epub 2011 Oct 31.

[Pubertal presentation in seven patients with congenital adrenal hyperplasia due to P450 oxidoreductase deficiency.](#)

Idkowiak J, O'Riordan S, Reisch N, Malunowicz EM, Collins F, Kerstens MN, **Köhler B**, Graul-Neumann LM, Szarras-Czapnik M, Dattani M, Silink M, Shackleton CH, Maiter D, Krone N, Arlt W.

J Clin Endocrinol Metab. 2011 Mar;96(3):E453-62.

[Complete androgen insensitivity syndrome is frequently due to premature stop codons in exon 1 of the androgen receptor gene: an international collaborative report of 13 new mutations.](#)

Philibert P, Audran F, Pienkowski C, Morange I, **Köhler B**, Flori E, Heinrich C, Dacou-Voutetakis C, Joseph MG, Guedj AM, Journel H, Hecart-Bruna AC, Khotchali I, Ten S, Bouchard P, Paris F, Sultan C.

Fertil Steril. 2010 Jul;94(2):472-6.

[Detection and treatment of congenital hypothyroidism.](#)

**Grüters A**, Krude H.

**Nat Rev Endocrinol. 2011 Oct 18;8(2):104-13.**

[Mutually opposite signal modulation by hypothalamic heterodimerization of ghrelin and melanocortin-3 receptors.](#)

Rediger A, Piechowski CL, Yi CX, Tarnow P, Strotmann R, **Grüters A**, Krude H, Schöneberg T, Tschöp MH, Kleinau G, Biebermann H.

J Biol Chem. 2011 Nov 11;286(45):39623-31.

[Molecular description of non-autoimmune hyperthyroidism at a neonate caused by a new thyrotropin receptor germline mutation.](#)

Biebermann H, Winkler F, Handke D, **Grüters A**, Krude H, Kleinau G.

Thyroid Res. 2011 Aug 3;4 Suppl 1:S8.

[Insights into molecular properties of the human monocarboxylate transporter 8 by combining functional with structural information.](#)

Kleinau G, Schweizer U, Kinne A, Köhrle J, **Grüters A**, Krude H, Biebermann H.

Thyroid Res. 2011 Aug 3;4 Suppl 1:S4.

[Monocarboxylate transporter 8 deficiency: altered thyroid morphology and persistent high triiodothyronine/thyroxine ratio after thyroidectomy.](#)

Wirth EK, Sheu SY, Chiu-Ugalde J, Sapin R, Klein MO, Mossbrugger I, Quintanilla-Martinez L, de Angelis MH, Krude H, Riebel T, Rothe K, Köhrle J, Schmid KW, Schweizer U, **Grüters A**.

Eur J Endocrinol. 2011 Oct;165(4):555-61.

[Rescue of melanocortin 4 receptor \(MC4R\) nonsense mutations by aminoglycoside-mediated read-through.](#)

Brumm H, Mühlhaus J, Bolze F, Scherag S, Hinney A, Hebebrand J, Wiegand S, Klingenspor M, **Grüters A**, Krude H, Biebermann H.

Obesity (Silver Spring). 2012 May;20(5):1074-81.

[Rare and functional SIAE variants are not associated with autoimmune disease risk in up to 66,924 individuals of European ancestry.](#)

Hunt KA, Smyth DJ, Balschun T, Ban M, Mistry V, Ahmad T, Anand V, Barrett JC, Bhaw-Rosun L, Bockett NA, Brand OJ, Brouwer E, Concannon P, Cooper JD, Dias KR, van Diemen CC, Dubois PC, Edkins S, Fölster-Holst R, Fransen K, Glass DN, Heap GA, Hofmann S, Huizinga TW, Hunt S, Langford C, Lee J, Mansfield J, Marrosu MG, Mathew CG, Mein CA, Müller-Quernheim J, Nutland S, Onengut-Gumuscu S, Ouwehand W, Pearce K, Prescott NJ, Posthumus MD, Potter S, Rosati G, Sambrook J, Satsangi J, Schreiber S, Shtir C, Simmonds MJ, Sudman M, Thompson SD, Toes R, Trynka G, Vyse TJ, Walker NM, Weidinger S, Zhernakova A, Zoledziwska M; Type 1 Diabetes Genetics Consortium *incl Raile K*; UK Inflammatory Bowel Disease (IBD) Genetics Consortium; Wellcome Trust Case Control Consortium, Weersma RK, Gough SC, Sawcer S, Wijmenga C, Parkes M, Cucca F, Franke A, Deloukas P, Rich SS, Todd JA, van Heel DA.

**Nat Genet. 2011 Dec 27;44(1):3-5.**

[Natural course of untreated microalbuminuria in children and adolescents with type 1 diabetes and the importance of diabetes duration and immigrant status: longitudinal analysis from the prospective nationwide German and Austrian diabetes survey DPV.](#)

Galler A, Haberland H, Näke A, Hofer S, Holder M, **Raile K**, Holl RW; German Federal Ministry for Education and Research BMBF Competence Network of Diabetes Mellitus.

Eur J Endocrinol. 2012 Mar;166(3):493-501.

[Continuous glucose monitoring in children, adolescents, and adults with type 1 diabetes mellitus: analysis from the prospective DPV diabetes documentation and quality management system from Germany and Austria.](#)



Ludwig-Seibold CU, Holder M, Rami B, **Raile K**, Heidtmann B, Holl RW; DPV Science Initiative; German Working Group for insulin pump treatment in pediatric patients; German BMBF Competence Network Diabetes.

Pediatr Diabetes. 2012 Feb;13(1):12-4..

[DSD and Professionalism from a Multilateral View: Supplementing the Consensus Statement on the Basis of a Qualitative Survey.](#)

Streuli JC, Köhler B, Werner-Rosen K, Mitchell C.

Adv Urol. 2012;2012:185787.

[Aminoaciduria, but normal thyroid hormone levels and signalling, in mice lacking the amino acid and thyroid hormone transporter Slc7a8.](#)

Braun D, Wirth EK, Wohlgemuth F, Reix N, Klein MO, **Grüters A**, Köhrle J, Schweizer U.

Biochem J. 2011 Oct 15;439(2):249-55.

[Analysis of the Wilms' tumor suppressor gene \(WT1\) in patients 46,XY disorders of sex development.](#)

**Köhler B**, Biebermann H, Friedsam V, Gellermann J, Maier RF, Pohl M, Wieacker P, Hiort O, **Grüters A**, Krude H.

J Clin Endocrinol Metab. 2011 Jul;96(7):E1131-6.

[Associations between media consumption habits, physical activity, socioeconomic status, and glycemic control in children, adolescents, and young adults with type 1 diabetes.](#)

Galler A, Lindau M, Ernert A, Thalemann R, **Raile K**.

Diabetes Care. 2011 Nov;34(11):2356-9..

[Diabetic retinopathy in type 1 diabetes-a contemporary analysis of 8,784 patients.](#)

Hammes HP, Kerner W, Hofer S, Kordonouri O, **Raile K**, Holl RW; DPV-Wiss Study Group.

Diabetologia. 2011 Aug;54(8):1977-84.

[Diabetes caused by insulin gene \(INS\) deletion: clinical characteristics of homozygous and heterozygous individuals.](#)

**Raile K**, O'Connell M, Galler A, Werther G, Kühnen P, Krude H, Blankenstein O.

Eur J Endocrinol. 2011 Aug;165(2):255-60.

[Protein phosphatase 1 \(PP-1\)-dependent inhibition of insulin secretion by leptin in INS-1 pancreatic  \$\beta\$ -cells and human pancreatic islets.](#)

Kuehnen P, Laubner K, **Raile K**, Schöfl C, Jakob F, Pilz I, Páth G, Seufert J.

Endocrinology. 2011 May;152(5):1800-8.

[Genetic and clinical characteristics of patients with HNF1A gene variations from the German-Austrian DPV database.](#)

Awa WL, Thon A, **Raile K**, Grulich-Henn J, Meissner T, Schober E, Holl RW; DPV-Wiss. Study Group.

Eur J Endocrinol. 2011 Apr;164(4):513-20.

[Polyoma virus-associated progressive multifocal leukoencephalopathy after renal transplantation: regression following withdrawal of mycophenolate mofetil.](#)

Weber SC, Uhlenberg B, **Raile K**, Querfeld U, Müller D.

Pediatr Transplant. 2011 Mar;15(2):E19-24.

[Designing and implementing sample and data collection for an international genetics study: the Type 1 Diabetes Genetics Consortium \(T1DGC\).](#)

Hilner JE, Perdue LH, Sides EG, Pierce JJ, Wagner AM, Aldrich A, Loth A, Albret L, Wagenknecht LE, Nierras C, Akolkar B; T1DGC *incl Raile, K*.

Clin Trials. 2010;7(1 Suppl):S5-S32. doi: 10.1177/1740774510373497. Epub 2010 Jul 5.

[Entities and frequency of neonatal diabetes: data from the diabetes documentation and quality management system \(DPV\).](#)

Grulich-Henn J, Wagner V, Thon A, Schober E, Marg W, Kapellen TM, Haberland H, **Raile K**, Ellard S, Flanagan SE, Hattersley AT, Holl RW.

Diabet Med. 2010 Jun;27(6):709-12.

[Recessive mutations in the INS gene result in neonatal diabetes through reduced insulin biosynthesis.](#)

Garin I, Edghill EL, Akerman I, Rubio-Cabezas O, Rica I, Locke JM, Maestro MA, Alshaikh A, Bundak R, del Castillo G, Deeb A, Deiss D, Fernandez JM, Godbole K, Hussain K, O'Connell M, Klupa T, Kolouskova S, Mohsin F, Perlman K, Sumnik Z, Rial JM, Ugarte E, Vasanthi T; Neonatal Diabetes International Group, Johnstone K, Flanagan SE, Martinez R, Castano C, Patch AM, Fernandez-Rebollo E, **Raile K**, Morgan N, Harries LW, Castano L, Ellard S, Ferrer J, Perez de Nanclares G, Hattersley AT.

**Proc Natl Acad Sci U S A. 2010 Feb 16;107(7):3105-10.**

[Discontinuation of insulin pump treatment in children, adolescents, and young adults. A multicenter analysis based on the DPV database in Germany and Austria.](#)

Hofer SE, Heidtmann B, **Raile K**, Fröhlich-Reiterer E, Lilienthal E, Berghaeuser MA, Holl RW; DPV-Science-Initiative and the German working group for insulin pump treatment in pediatric patients.

Pediatr Diabetes. 2010 Mar;11(2):116-21.

[Phenotypical, biological, and molecular heterogeneity of 5 \$\alpha\$ -reductase deficiency: an extensive international experience of 55 patients.](#)

Maimoun L, Philibert P, Cammas B, Audran F, Bouchard P, Fenichel P, Cartigny M, Pienkowski C, Polak M, Skordis N, Mazen I, Ocal G, Berberoglu M, Reynaud R, Baumann C, Cabrol S, Simon D, Kayemba-Kay's K, De Kerdanet M, Kurtz F, Leheup B, Heinrichs C, Tenoutasse S, Van Vliet G, **Grüters A**, Eunice M, Ammini AC, Hafez M, Hochberg Z, Einaudi S, Al Mawlawi H, Nuñez CJ, Servant N, Lumbroso S, Paris F, Sultan C.

J Clin Endocrinol Metab. 2011 Feb;96(2):296-307.

[Increased transactivation associated with SOX3 polyalanine tract deletion in a patient with hypopituitarism.](#)

Alatzoglou KS, Kelberman D, Cowell CT, Palmer R, Arnhold IJ, Melo ME, Schnabel D, **Grüeters A**, Dattani MT.

J Clin Endocrinol Metab. 2011 Apr;96(4):E685-90.

[Metformin and placebo therapy both improve weight management and fasting insulin in obese insulin-resistant adolescents: a prospective, placebo-controlled, randomized study.](#)

Wiegand S, l'Allemand D, Hübel H, Krude H, Bürmann M, Martus P, **Grüters A**, Holl RW.

Eur J Endocrinol. 2010 Oct;163(4):585-92.

[Essential molecular determinants for thyroid hormone transport and first structural implications for monocarboxylate transporter 8.](#)

Kinne A, Kleinau G, Hoefig CS, **Grüters A**, Köhrle J, Krause G, Schweizer U.

J Biol Chem. 2010 Sep 3;285(36):28054-63..

[Association of variants in gastric inhibitory polypeptide receptor gene with impaired glucose homeostasis in obese children and adolescents from Berlin.](#)Sauber J, Grothe J, Behm M, Scherag A, Grallert H, Illig T, Hinney A, Hebebrand J, Wiegand S, **Grüters A**, Krude H, Biebermann H.

Eur J Endocrinol. 2010 Aug;163(2):259-64.

[.A new phenotype of nongoitrous and nonautoimmune hyperthyroidism caused by a heterozygous thyrotropin receptor mutation in transmembrane helix 6.](#)

Winkler F, Kleinau G, Tarnow P, Rediger A, Grohmann L, Gaetjens I, Krause G, L'Allemand D, **Grüters A**, Krude H, Biebermann H.

J Clin Endocrinol Metab. 2010 Aug;95(8):3605-10.

[Screening chromosomal aberrations by array comparative genomic hybridization in 80 patients with congenital hypothyroidism and thyroid dysgenesis.](#)

Thorwarth A, Mueller I, Biebermann H, Ropers HH, **Grüters A**, Krude H, Ullmann R.

J Clin Endocrinol Metab. 2010 Jul;95(7):3446-52.